

# PATENT COOPERATION TREATY

## PCT

### NOTIFICATION OF THE RECORDING OF A CHANGE

(PCT Rule 92bis.1 and  
Administrative Instructions, Section 422)

From the INTERNATIONAL BUREAU

To:

WALKER, Andrew  
Nokia Corporation  
P.O. Box 206  
FIN-00045 Nokia Group  
FINLANDE

<b>Date of mailing (day/month/year)</b> 19 April 2001 (19.04.01)	
<b>Applicant's or agent's file reference</b> AW/27001 WO	<b>IMPORTANT NOTIFICATION</b>
<b>International application No.</b> PCT/FI00/00572	<b>International filing date (day/month/year)</b> 22 June 2000 (22.06.00)

1. The following indications appeared on record concerning: <input type="checkbox"/> the applicant <input type="checkbox"/> the inventor <input checked="" type="checkbox"/> the agent <input type="checkbox"/> the common representative		
<b>Name and Address</b> WALKER, Andrew c/o Nokia Corporation P.O. Box 319 FIN-00045 Nokia Group Finland	<b>State of Nationality</b>	<b>State of Residence</b>
	<b>Telephone No.</b> +358-9-51121	
	<b>Facsimile No.</b> +358-9-511 64604	
	<b>Teleprinter No.</b>	
2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning: <input type="checkbox"/> the person <input type="checkbox"/> the name <input checked="" type="checkbox"/> the address <input type="checkbox"/> the nationality <input type="checkbox"/> the residence		
<b>Name and Address</b> WALKER, Andrew Nokia Corporation P.O. Box 206 FIN-00045 Nokia Group Finland	<b>State of Nationality</b>	<b>State of Residence</b>
	<b>Telephone No.</b> +358-7180-08000	
	<b>Facsimile No.</b> +358-7180-62919	
	<b>Teleprinter No.</b>	
3. Further observations, if necessary:		
4. A copy of this notification has been sent to: <div style="display: flex; justify-content: space-between;"> <div> <input checked="" type="checkbox"/> the receiving Office  <input type="checkbox"/> the International Searching Authority  <input checked="" type="checkbox"/> the International Preliminary Examining Authority         </div> <div> <input type="checkbox"/> the designated Offices concerned  <input checked="" type="checkbox"/> the elected Offices concerned  <input type="checkbox"/> other:         </div> </div>		

<b>The International Bureau of WIPO</b> 34, chemin des Colombettes 1211 Geneva 20, Switzerland  Facsimile No.: (41-22) 740.14.35	<b>Authorized officer</b>  F. Baechler  Telephone No.: (41-22) 338.83.38
--	--

# PATENT COOPERATION TREATY

## PCT

### NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner  
US Department of Commerce  
United States Patent and Trademark  
Office, PCT  
2011 South Clark Place Room  
CP2/5C24  
Arlington, VA 22202  
ETATS-UNIS D'AMERIQUE

in its capacity as elected Office

<b>Date of mailing (day/month/year)</b> 26 February 2001 (26.02.01)	
<b>International application No.</b> PCT/FI00/00572	<b>Applicant's or agent's file reference</b> AW/27001 WO
<b>International filing date (day/month/year)</b> 22 June 2000 (22.06.00)	<b>Priority date (day/month/year)</b> 24 June 1999 (24.06.99)
<b>Applicant</b> TOTH, Mihály et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:  
19 January 2001 (19.01.01)

☐ in a notice effecting later election filed with the International Bureau on:  
\_\_\_\_\_

2. The election ☒ was  
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland  Facsimile No.: (41-22) 740.14.35	<b>Authorized officer</b>  F. Baechler  Telephone No.: (41-22) 338.83.38
---	--

27.07.2000

Nokia IPR-osasto

PL 319

00045 Nokia Group

31.07.00

RJ

Patenttihakemus nro: 991451  
Luokka: H04L / ILT  
Hakija: Nokia Oyj  
Asiamies:  
Asiamiehen viite: AW/27001  
Määräpäivä: 27.01.2001

Patenttihakemuksen numero ja luokka on mainittava kirjelmässänne PRH:lle

Julkaisussa US5887141 tapahtumat jaetaan ryhmiin (session work object), jotta etäkäyttö tai liikkuva yhteys nopeutuisi (palsta 2 rivi 50 - palsta 3 rivi 54). Ryhmittelyssä käytetään oliotekniikkaa (object oriented computing). Ryhmät on liitetty istuntoihin, solmuihin tai käyttäjiin. (Palsta 4 rivi 16 - palsta 11 rivi 10).

Julkaisussa WO9724663 on esitetty rakenteellinen järjestelmä, jossa yhdistetään ohjelmointi ja tietoliikenne. Tietokoneen muisti on jaettu soluihin, joiden välillä kulkevat polut. Toimija (processionist) suorittaa solun käskyt ja liikkuu solusta toiseen. Toimijoiden yksi luokka on virtuaalinen operoija (virtual operating processionist), jota voidaan pitää säikeenä (thread). (Sivu 14 rivi 15 - sivu 16 rivi 30). Yleensä eri istunnot kuuluvat eri toimijoidenryhmiin (sivu 28 rivi 19 - sivu 29 rivi 31).

Hakemuksen keksintö on patentoitavissa patenttilain 1. ja 2. pykälän perusteella. Hakijaa pyydetään toimittamaan suomenkieliset selitys, vaatimukset ja tiivistelmä sekä ruotsinkieliset vaatimukset ja tiivistelmä.

Tutkijainsinööri  
Puhelin: Ilpo Tuomi  
(09) 6939 5343

Liitteet: tutkimusraportti  
kopio kahtena kappaleena julkaisuista US5887141 ja WO9724663.

Lausumanne huomautusten johdosta on annettava viimeistään yllämainittuna määräpäivänä. Jollette ole antanut lausumanne virastoon viimeistään mainittuna määräpäivänä tai ryhtynyt toimenpiteisiin tässä välipäätöksessä esitettyjen puutteellisuuden korjaamiseksi, jätetään hakemus sillensä (patenttilain 15 §). Sillensä jätetty hakemus otetaan uudelleen käsiteltäväksi, jos Te neljän kuukauden kuluessa määräpäivästä annatte lausumanne tai ryhdytte toimenpiteisiin esitettyjen puutteellisuuden korjaamiseksi ja samassa ajassa suoritate vahvistetun maksun, 320 mk hakemuksen ottamisesta uudelleen käsiteltäväksi. Jos lausumanne on annettu virastoon oikeassa ajassa, mutta esitettyjä puutteellisuuden ei ole siten korjattu, että hakemus voitaisiin hyväksyä, se hylätään, mikäli virastolla ei ole aihetta antaa Teille uutta välipäätöstä (patenttilain 16 §). Uusi keksinnön selitys, siihen tehdyt lisäykset ja uudet patenttivaatimukset on aina jätettävä kahtena kappaleena ja tällöin on otettava huomioon patenttiasetuksen 19 §.


**PATENTTI- JA REKISTERIHALLITUS**

Patentti- ja innovaatiolinja

**TUTKIMUSRAPORTTI**

<b>PATENTTIHAKEMUS NRO</b>	<b>LUOKITUS</b>
991451	H04L12/66

<b>TUTKITTU AINEISTO</b>
Patenttijulkaisukokoelma (FI, SE, NO, DK, DE, CH, EP, WO, GB, US), tutkitut luokat H04L12, H04L29, G06F9, G06F13, G06F17, H04M15
<b>Tiedonhaut ja muu aineisto</b> EPODOC, WPI, PAJ

<b>VIITEJULKAISUT</b>		
<b>Kategoria*)</b>	<b>Julkaisun tunnistetiedot</b>	<b>Koskee vaatimuksia</b>
A	US5887141, G06F13/00, XcelleNet, Inc., palsta 2 rivi 50 - palsta 3 rivi 54, palsta 4 rivi 16 - palsta 11 rivi 10	1, 19, 22, 23
A	WO9724663, G06F9/46, PANKOSMION INC. [US/US], sivu 14 rivi 15 - sivu 16 rivi 30, sivu 28 rivi 19 - sivu 29 rivi 31.	1, 19, 22, 23
*) X Patentoitavuuden kannalta merkittävä julkaisu yksinään tarkasteltuna Y Patentoitavuuden kannalta merkittävä julkaisu, kun otetaan huomioon tämä ja yksi tai useampi samaan kategoriaan kuuluva julkaisu A Yleistä tekniikan tasoa edustava julkaisu, ei kuitenkaan patentoitavuuden este		
<b>Päiväys</b> 27.7.2000	<b>Tutkija</b>  Ilpo Tuomi	

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
4 January 2001 (04.01.2001)

PCT

(10) International Publication Number  
**WO 01/01244 A1**

(51) International Patent Classification<sup>7</sup>: **G06F 9/44**,  
H04L 29/10, 12/46

(21) International Application Number: **PCT/FI00/00572**

(22) International Filing Date: **22 June 2000 (22.06.2000)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:  
991451 **24 June 1999 (24.06.1999) FI**

(71) Applicant (for all designated States except US): **NOKIA CORPORATION [FI/FI]**; Keilalahdentie 4, FIN-02150 Espoo (FI).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **TOTH, Mihály [HU/HU]**; Baross u. 36/C, H-1203 Budapest (HU). **CA-SAIS, Eduardo [CH/FI]**; Visamäki 5 G 60, FIN-02130 Espoo (FI).

(74) Agent: **WALKER, Andrew**; c/o Nokia Corporation, P.O. Box 319, FIN-00045 Nokia Group (FI).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **SESSION MANAGEMENT**



(57) Abstract: A method of managing sessions (68, 70) between a plurality of mobile terminals and a server having a plurality of threads (74, 76) comprises grouping the sessions (70) into a plurality of groups (72) and assigning a server thread (74) to each group of sessions. The sessions are grouped by using a special thread (76) referred to as an acceptor thread. The sessions typically involve gathering information from the Internet.

WO 01/01244 A1

## SESSION MANAGEMENT

The present invention relates to management of sessions between a server and a plurality of terminals and is particularly, but not exclusively, related to management of sessions between a server and a plurality of mobile terminals. It is particularly suitable for a mobile protocol for enabling a mobile terminal to access the Internet.

The term "Internet" is commonly used to describe information, content, which can be accessed using a terminal, typically a PC, usually connected via a modem, to a telecommunications network. The content can be stored at many different sites remote from the accessing computer, although each of the remote sites is also linked to the telecommunications network. The content can be structured using Hypertext Mark-up Language (HTML). The Internet is made workable by the specification of a standard communications system which makes use of a number of protocols, such as the Transfer Control Protocol (TCP), the User Datagram Protocol (UDP), and the Internet Protocol (IP), to control the flow of data around the numerous different components of the Internet. TCP and UDP are concerned with the transmission of Internet data with different quality of service characteristics, such as in-order, reliable delivery of data, or unreliable delivery of independent data packets. IP is concerned with the structuring and routing of data. On top of that, other application specific protocols may be provided to manage and manipulate the various kinds of information available via the Internet, for example HTTP to access HTML content, FTP to access files or SMTP to access e-mail.

The Internet is physically constructed from a hierarchy of telecommunication and data communication networks, for example local area networks (LANs), regional telephone networks, and international telephone networks. These networks are connected internally and externally by so-called "routers" which receive data from a source host, or a previous router in a transmission chain, and route it to the destination host or the next router in the transmission chain.

With increased use of mobile cellular telephones, there is a growing demand for so-called mobile Internet access, in which access is made from a portable computer connected to a cellular telephone or from an integrated computer/cellular phone device. Typically, the purpose of such access is to obtain content from the Internet. It has also been proposed to provide Internet access to advanced mobile terminals, so-called communicators and smart phones, by means of the Wireless Application Protocol (WAP), for example. WAP has an architecture in which an application layer (called the Wireless Application Environment or WAE) uses a protocol stack comprising a session layer (called the Wireless Session Protocol or WSP), a transaction layer (called the Wireless Transaction Protocol or WTP), a security layer (called Wireless Transport Layer Security or WTLS) and a transport layer (called the Wireless Datagram Protocol or WDP). Each of the layers of the architecture is accessible by the layers above as well as by other services and applications. These protocols are designed to operate over a variety of different bearer services. A specification describing this architecture and the protocol layers is available from <http://www.wapforum.org/>.

Obtaining access to the Internet generally involves having sessions between a terminal, such as a mobile terminal, and a server. A session is a series of interactions between a terminal and a server having a well-defined beginning and end and involving agreed-upon characteristics. Typically, a session involves a peer announcing to another peer a desire to establish a session, both peers negotiating the characteristics of the session, the peers engaging in a variety of transactions and one of the peers ending the session. The characteristics which are negotiated are typically the length of packets to be exchanged, the character sets which can be understood and manipulated and the versions of protocols which are to be used. A transaction is a basic unit of interaction and may include requesting and receiving information, aborting an ongoing session and informing a peer of a situation in an on-going session. All session operations to establish and terminate a session as well as all transactions result in events being generated and received by the peer. There are many event sources (sessions and transactions).

The operations which an application can invoke to generate events are called service primitives. Service primitives represent the logical exchange of information and control between a protocol layer and another entity using it, and especially  
5 between the session layer and the application environment (WAE). They consist of commands and their respective responses associated with the particular service provided. Invoking a service primitive in a peer on one side of a communication link results in an event being generated in a peer in the other side of the link. Service primitives are present in all communication protocols and form the basis  
10 for specification formalisms used by the ITU-T and ETSI.

An active session can involve multiple transactions and so can generate multiple events. Depending on the speed at which an application can process events coming from its peer, it can happen that there are more transactions than it can  
15 process and so it receives more events than it can process. In this case, the events are queued up and wait to be processed within the context of that session. Events connected or related to the same session generally need to be processed in a specific order. In some protocols, a session can be suspended, in which state no transactions are allowed except a request to resume or to terminate the  
20 session.

In WAP, communication between layers is also accomplished by means of service primitives.

25 Most transactions are either of the push type or of the pull (request-reply) type. In push type transactions a peer sends information which has not been specifically requested and in pull type transactions, a peer specifically requests to receive information from another peer.

30 Terminals, such as personal computers, obtain information from the Internet through a server, such as a gateway server. The Internet uses HTTP which is a simple request-reply protocol. Almost the only events are an HTTP request and its



- associated response. The operating system of the server runs a number of applications and so creates a number of threads to deal with them, for example proxies and mail servers. The applications use the available threads as they are required. In the case of Internet access by a PC, it is convenient to create a thread
- 5 in the server dynamically to deal with each request because the requests are independent from each other. Once the request has been processed, the thread has finished its activity and is terminated. Creating and terminating threads is a big overhead to the server.
- 10 A thread is basically a path of execution through a program and can be the smallest unit of execution that is scheduled on a processor. A thread consists of a stack, the state of the CPU registers, and an entry in the execution list of the system scheduler.
- 15 A thread is a single sequential flow of execution in program code and has a single point of execution. To deal with a simple process, a program comprising a single thread can be used. For more complex processes which involve running a number of applications, a program can rely on a number of threads. Operating systems usually provide thread management for the application (creation, termination and
- 20 specifying the entry point: at the start of the program code).
- A process consists of one or more threads and the code, data, and other resources of a program in memory. Typical program resources are open files, semaphores, and dynamically allocated memory. Each thread shares all of the
- 25 resources of the process. A program executes when the system scheduler gives one of its threads execution control. The scheduler determines which threads should run and when they should run. Threads of lower priority may have to wait while higher priority threads complete their tasks. On multiprocessor machines, the scheduler can move individual threads to different processors to "balance" the
- 30 load on the central processing unit.

Each thread in a process operates independently. Unless they are made visible to each other, the threads execute individually and are unaware of the other threads in a process. Threads sharing common resources, however, must co-ordinate their work, for example by using semaphores or another method of inter-process communication.

In a communication system comprising a gateway server and a plurality of mobile terminals, establishing a session requires a relatively large amount of bandwidth because a terminal and a server must negotiate many characteristics relevant to the session. Furthermore, information which is unique to a particular opened session may be lost if the session is terminated. This unique information could have been negotiated as a result of transactions. For example, it may be the status of a game. In order to avoid opening and closing sessions on demand and establishing new sessions whenever they are needed, the sessions may be kept open for a long time, even in an inactive state, so that they can be resumed when needed. A session can remain open for days or even weeks until it is closed or until the terminal no longer receives power, for example from a battery. The state of a session can be preserved and kept alive even after switching the terminal off. In this case, the session state can be saved to persistent memory or a SIM card before turning the power off. Of course, although the session is still alive, is not active afterwards. As a consequence, a gateway server serving a large number of mobile terminals needs to be able to manage a very large number of sessions indeed. The gateway may serve tens of thousands of mobile terminals or even in the region of a million mobile terminals. Generally a mobile will have one session open at one time (although there may be more), and so there can be in the region of one million sessions open at one time on the server.

An application in the server will use the operating system thread management service and create a number of threads to manage these sessions. However, a gateway server has difficulty dealing with such a large number of sessions. The number of event sources is much larger than the number of threads. Since most of the sessions are inactive, only a fraction of them have events at any particular

time. Therefore assigning one thread to each session is an inefficient use of system resources. On the other hand, having only one thread to handle all events of all sessions is also inefficient because the thread may not process the events more quickly than they are generated in the protocol stack.

5

If several threads are allocated to the same session, then there is a risk that two events of the same session can be dealt with by the same thread at the same time or that the same session can be designated to two different threads at the same time. If two events of the same session are processed concurrently by different  
10 threads, this may result in inconsistencies. For example, resumption of a session might be processed faster than its suspension (even though the suspension instruction arrived before the resumption instruction). Alternatively, there may be a code fraction which handles the suspension of a session and a code fraction which handles the resumption of that session. These fractions are in the server  
15 application. If both code fractions are able to modify the same data area concurrently so that one thread runs the suspension one thread runs the resumption, this could cause inconsistent data structures since the data would be manipulated by both code fractions at the same time. It is difficult to provide programs which are able to deal with such inconsistencies.

20

According to a first aspect of the invention there is provided a method of managing a plurality of sessions the sessions being between a plurality of terminals and a server having a plurality of threads, the method comprising:  
grouping the sessions into a plurality of groups; and  
25 assigning a thread to each group of sessions.

The invention is able to optimise the load of the system handling the communication by reducing the number of threads needed to process the various sessions. It can also enable spreading the load of sessions across the threads. As  
30 a result, a huge numbers of sessions can be dealt with.

Preferably the grouping step occurs when a session is created. Alternatively it occurs when a session becomes active. Preferably the sessions are grouped by a thread, referred to as an acceptor thread.

- 5 According to a second aspect of the invention there is provided a server for managing a plurality of sessions with a plurality of terminals the server comprising a plurality of threads, grouping means to group the sessions into a plurality of groups and assigning means to assign a thread to each group of sessions.
- 10 The term server includes origin servers where a resource resides or is created, gateways (servers acting as intermediaries for origin servers), proxies (intermediaries between any kinds of servers) and combinations of origin servers, gateways and proxies. A gateway is a node between two or more networks or between two parts of the same network which use different communication
- 15 protocols.

In one particular embodiment, the invention comprises a gateway server serving a plurality of mobile terminals. It may be a WAP-HTTP gateway. For example, commands, such as WAP requests, may be sent to a WAP/HTTP gateway. The

20 gateway will interpret these as WAP network packets and will perform the necessary HTTP transactions on an origin server. After that it sends back the result.

- According to a third aspect of the invention there is provided a communications
- 25 system comprising a server and a plurality of terminals the server and the terminals conducting a plurality of sessions the server comprising a plurality of threads, grouping means to group the sessions into a plurality of groups and assigning means to assign at least one thread to each group of sessions.
- 30 Preferably, the invention relates to long-lived sessions, in some cases some of the sessions are alive for as long as months.

Preferably one group is provided for each thread so that there are equal numbers of groups and threads. The thread assigned to each group only handles the events of the sessions of that group. This prevents two events of the same session being handled by two different threads. The invention allows one thread to be used to  
5 deal with many sessions whilst avoiding inconsistencies that can otherwise arise in processing events concurrently. In an alternative embodiment a session can be put into a first group in a first time period before suspension and put into a second group in a second time period following resumption. The second group can be chosen randomly or on the basis of pre-determined selection criteria, for example  
10 based upon the relative levels of activity of the groups.

Preferably each group has a queue and each session (and transactions of that session) puts its events into that queue. The events may be dealt with in an order determined by the time at which they are generated.

15

In one embodiment of the invention, the sessions associated with an application are contained within a meta-session. On creation of a new session, a special thread, referred to as an acceptor thread may receive a notification message from the meta-session. The acceptor thread may call a function which may be  
20 answered by notification that a new session has been created. Preferably the new session is then assigned to a particular session group by the acceptor thread. After that, the events of that session may be sent to, and dealt with by, the thread assigned to that group. Therefore, the server can control the assignment mechanism of the sessions and select such load balancing mechanism as is  
25 desired or is appropriate, for example circular assignment. This provides the advantage that the load can be spread among the threads.

In a method according to the invention, it is not necessary to create threads dynamically when there are events in a session group. A thread can simply be  
30 assigned to a session group and wait until there are events to be processed. The thread may call a blocking function which returns with the next event to be processed.

Typically there may be a few, several tens of, one hundred or several hundred threads. The number of threads is chosen to optimise resource usage of a machine. There may be a single processor or tens of processors.

5

Preferably the terminals comprise mobile terminals. Most preferably the terminals comprise cellular telephones.

Preferably the sessions involve obtaining information or conducting transactions.

10 Most preferably they occur between the terminals and sources obtainable through public networks, such as through the Internet.

Preferably the sessions are part of a communication protocol. Most preferably the sessions are part of the Wireless Session Protocol (WSP). However, the invention

15 is not restricted to WSP, and may be of general applicability.

According to a fourth aspect of the invention there is provided a computer program product for managing a plurality of sessions the sessions being between a plurality of terminals and a server having a plurality of threads, comprising:

20 computer readable program means for grouping the sessions into a plurality of groups; and

computer readable program means for assigning a thread to each group of sessions.

25 Preferably the computer program product is stored on a computer readable medium.

The invention allows simple applications which do not require mutual exclusions and other mechanisms to protect the sessions, events, associated queues and  
30 related information and data structures from concurrent access. Therefore, the invention provides high performance because there is no need to provide a complex computing mechanism which would slow delivery of the events. It

ensures that events of a session can be handled only by one particular thread and consistent handling of data occurs.

5 In the case of a protocol which allows long-lived sessions, grouping provides a solution for gaining extra performance from statically creating threads, that is, where a fixed or limited number of threads is available.

An embodiment of the invention will now be described by way of example only with reference to the accompanying drawings in which:

10 Figure 1 shows a communication system;  
Figure 2 shows a gateway server embodied in hardware;  
Figure 3 shows an arrangement of protocol stacks; and  
Figure 4 shows an arrangement of threads in an application program and sessions in a protocol stack.

15

In the following example, communication is described with reference to the Wireless Application Protocol (WAP) mentioned above. It should be noted that the invention is not limited to the use of WAP and other protocols and specifications may be used.

20

Figure 1 shows a communication system comprising a plurality of mobile terminals 2 having access to the Internet 4. The mobile terminals transmit signals 6 which are received by and transmitted through a wireless network 8. The signals comprise wireless mark-up language (WML) and WAP commands according to  
25 WAP. WML is a tag-based display language providing navigational support, data input, hyperlinks, text and image presentation, and forms. It is a browsing language similar to HTML. Signals 10 received by the network 8 are routed to a proxy or gateway server 12. The server 12 translates WAP requests into HTTP requests and thus allows the mobile terminals 2 to request information from a web  
30 server 14 and thus browse the Internet 4. Information obtained from the web server 14 is encoded by the gateway into a suitable format and then transmitted by the wireless network to the mobile terminal 2 which requested it. The mobile

terminal 2 processes and uses the information. If the web server 14 provides content in WAP/WML format, the server 12 can retrieve such content directly from the web server 14. However, if the web server provides content in WWW format (such as HTML), a filter may be used to translate the content from WWW format to WAP/WML format.

The Wireless Application Protocol is applicable to a number of different systems including GSM-900, GSM-1800, GSM-1900, CDMA IS-95, TDMA IS-136, wide-band IS-95 and third generation systems such as IMT-2000, UMTS and W-CDMA.

Although Figure 1 shows information being obtained from the Internet, the gateway itself may contain the desired information. For example, the client may retrieve information from the file system of the gateway.

In addition to the web server 14, the mobile terminals may communicate with a wireless telephony application (WTA) server 18.

Figure 2 shows a gateway server embodied in hardware such as a computer 20. The computer 20 has dynamic memory, processing power and memory to store all of the programs needed to implement the gateway server such as the application program, the protocol stacks and the operating system. The computer 20 comprises a user interface such as a keyboard 22 and a display (not shown) and a server program 24. The server program 24 has an application program 26 for processing events of the underlying protocol, such as handling a request to retrieve WML from a server, and protocol stacks such as a WAP protocol stack 28 and a HTTP protocol stack 30. The application program 26 controls flow of data, including commands, requests and information, between the computer and various networks including a telephone network 32, the Internet 34 and a data network and circuit switched data networks 35. The computer 20 communicates with the Internet 34 through the HTTP protocol stack 30 and an interface 36. The computer 20 communicates with the telephone network 34 and the data network 35 through interfaces 38 and 40. The server program 24 also comprises an application 42



which converts between HTTP and WAP. SMS messaging may be provided via a data connection through appropriate hardware to the operator's network.

Individual threads 44 present in the application program 26 and the WAP protocol stack 28 use processors 46 in the computer 20 to carry out necessary processing tasks. Allocation of threads to processors is provided by threading services 48 present within the operating system 50 of the computer 20.

It will be understood that the WAP stack is built on top of so-called bearers (which provide datagram services). These bearers can be, for example, SMS or CSD. The bearers have their own protocol and are implemented through protocol stack implementations. This is shown in Figure 3.

Figure 4 shows an arrangement of threads in an application program and sessions in a protocol stack. The application program, the threads, the protocol stack and the sessions are present within a server such as that described in Figure 2. As mentioned above, at any one time there can be a large number of sessions open between the gateway server and mobile terminals. For the sake of clarity only a few of these sessions are shown in Figure 4. For the sake of illustration, a boundary line 60 is shown separating the application program 62 and the protocol stack 64.

Within the protocol stack 64 there is a meta-session 66 which contains all of the sessions which are currently being dealt with by the server. The sessions are either assigned 68 or are unassigned 70. Assigned sessions 68 are arranged into a plurality of groups 72. Within the application program 62 are a number of threads 74 which handle particular groups. There is also an acceptor thread 76. In this Figure, the individual sessions of groups 72A and 72B are shown. When a session is created it is unassigned. The acceptor thread 76 receives a notification message, or a function call, and then assigns the unassigned session to a particular session group and hence to a particular thread 74 in an assignment step

78. The arrangement produces a number of separate groups, each of which is assigned to a particular thread.

Once the session has then been assigned, events of that session will be sent to, and dealt with, the thread assigned to that group. Consequently, events arising in a particular group are only dealt with by the thread assigned to it. The application can control the assignment mechanism of the sessions and select such load balancing mechanism as is desired or is appropriate, for example circular assignment. In this way, the threads are used efficiently.

Each group is provided with a queue 80 which contains events arising in that group. Since the thread to which the group is assigned is able to access the queue to deal with the events contained within it, the events connected to a particular session are dealt with in the correct order, for example suspension of a session is executed before resumption of that session. Therefore, the invention limits the risk of errors arising in events being processed concurrently.

The events can include indications and confirmations transferred between an application and the protocol stack. They can also include pseudo-events which trigger state changes within the protocol stack or within the layers of the stack. Examples of session related events and their meanings are given below:

- Connect.ind. When a client attempts to establish a session, Connect.ind is the event that the server receives which indicates what the client wants. The corresponding event in the client indicating that the server accepts the establishment of a session is Connect.cnf.
- Suspend.ind. This is the event received by a peer when the other peer wants to suspend a session.
- Resume.ind. When a client attempts to resume a session, Resume.ind is the event that the server receives which indicates what the client wants. The corresponding event in the client indicating that the server accepts the resumption of a session is Resume.cnf.

- Exception.ind. This relates to an exceptional event in the communication or in the protocol stack.
- Disconnect.ind. The session is terminated and no further communication can occur in the context of this session.

5 Examples of MethodInvocation transaction related events and their meanings are given below:

- MethodInvocation.ind. This is the event received by the server indicating that the client is requesting execution of a method (for example GET). The client receives the corresponding event MethodResult.ind.
- 10 • MethodResult.cnf. This is the event received by the server acknowledging that the client has received the result. The transaction is completed.
- MethodAbort.ind. This is the event received by one peer when the other peer requests termination of the transaction.

Confirmed push transaction related events:

- 15 • ConfirmedPush.cnf. This is the event received, typically by the server, that the other peer, typically the client, has received event ConfirmedPush.ind.
- PushAbort.ind. This is the event received by a peer to indicate that a push transaction has been aborted.

These events are described in the specification for WSP.

20

The sessions are long-lived and not active all the time. If a session is assigned to a group only when it is created, the distribution of sessions to groups is static. This can lead to inefficient thread utilisation. In another embodiment of the invention, the acceptor thread assigns inactive sessions to groups when they are resumed (at that point there are no any other events for that session which need to be processed). As a result more dynamic session assignment is provided and thus more efficient session management. Inactive sessions are resumed by sending a message (or event) that the session is to be resumed.

30 In a further embodiment, the sessions are organised into a tree hierarchy such that the sessions are organised into groups and the session groups are themselves organised into further groups. Some nodes in the session tree (session nodes) can

be specified as those which handle events and other nodes can be specified as those which transfer the events to nodes in which they will be handled. This allows ready customisation of how the sessions are handled. Events flow upwardly from the sessions and are pooled in the nodes specified to handle them, and so are  
5 placed in a queue and then given to the application. Therefore each node which gets an event from below either puts it into its queue or transfers it upwards.

In a further embodiment, sessions are not assigned to particular session groups but are allocated to a range of groups. However, when activities of the session  
10 need to be dealt with, it is assigned to a particular group. For example, a session may initially be assigned to the range of groups 3, 4, 5, and 6. In dealing with a particular activities, for example particular events, the session is assigned to group 4 and all of its events are put into group 4. The session then becomes inactive for a while, that is, it does not generate any events. When the session becomes active  
15 again, it may be assigned to another group of its range 3, 4, 5 and 6, for example the least loaded group. The least active group can be selected by the protocol stack automatically. If this is group 5 the session is assigned to group on re-activation. In this way, the session is not fixed to a particular group and can switch between groups.

20

The connection set-up request or the session request (also referred to as connect indications) can also be assigned to a range of groups. It is referred in the WSP specification as S-Connect.ind abstract primitive. This embodiment allows efficient use of threads and rapid assignment of sessions. Furthermore, it eliminates the  
25 need for a special (acceptor) thread. In this embodiment selection is done by the stack itself in choosing the range of groups for a particular session. It should be noted that in this embodiment, the application cannot control the assignment of sessions to particular groups, for example to select the least loaded group and the implementation of the protocol stack is more complex. Notifications which are  
30 handled by the acceptor thread in the other embodiments will be produced in groups and are handled by regular working threads.

In yet a further embodiment, instead of having threads to invoke blocking functions to handle events, the processing of events can be based on call-backs. In this case, the protocol stack itself invokes a function in the application thread to deliver the event.

5

The invention is located in the Application Programming Interface (API). Referring to Figure 2, the API is present between the application program 26 and the WAP protocol stack 28. The API provides the protocol services to the application. The API is a concrete way for the application to receive events from the protocol and to

10

The invention is particularly suited for protocol implementations in which:

- (i) the protocol entity generates such events that must be processed in the order of their generation, that is their processing cannot be made parallel;
- 15 (ii) the application built on top of the implementation is multi-threaded;
- (iii) there are long living protocol entities with long inactive periods which makes it difficult to afford one thread for each entity.

20

Particular implementations and embodiments have been described. It will be clear to a person skilled in the art that the invention is not restricted to details of embodiments presented above, and can be implemented in other embodiments without deviating from the characteristics of the invention. For example, although the foregoing is a description of mobile terminals browsing the Internet, it is to be understood that the communication may be of different types including sending and receiving information, conducting transactions such as financial transactions

25

30

sending and receiving electronic mail or messages. The range of activities includes accessing services, for example weather reports, news, stock prices, flight schedules, downloading ringing tones, banking services including information provision and payments. It may occur in communications environments other than the Internet. The scope of the invention is only restricted by the attached patent claims. Equivalent implementations are also within the scope of the invention.

## Claims

1. A method of managing a plurality of sessions (66) the sessions being between a plurality of terminals (2) and a server (20) having a plurality of threads (74), the  
5 method comprising:  
grouping the sessions into a plurality of groups (72); and  
assigning a thread (74) to each group (72) of sessions.
2. A method according to claim 1 in which grouping occurs when a session is  
10 created (70).
3. A method according to claim 1 in which grouping occurs when a session becomes active.
- 15 4. A method according to any preceding claim in which one group (72) is provided for each thread (74) so that there are equal numbers of groups (72) and threads (74).
- 20 5. A method according to claim 4 in which the thread (74) assigned to a particular group (72) only handles the events of the sessions of that group (72).
6. A method according to any preceding claim in which sessions are assigned statically to particular threads (74).
- 25 7. A method according to any of claims 1 to 5 in which a session is put into a first group in a first time period before suspension and put into a second group in a second time period following resumption.
8. A method according to claim 7 in which the second group is chosen on the  
30 basis of the relative levels of activity of the groups.
9. A method according to claim 7 in which the second group is chosen randomly.

10. A method according to any preceding claim in which each group (72) has a queue (80) and each session puts its events into that queue (80).

5 11. A method according to any preceding claim in which the sessions are grouped by a thread referred to as an acceptor thread (76).

12. A method according to claim 11 in which the acceptor thread (76) calls a function which is answered by notification that a new session has been created  
10 and then assigns the new session to a particular session group (72).

13. A method according to any preceding claim in which the sessions are long-lived.

15 14. A method according to any preceding claim in which the terminals (2) comprise mobile terminals.

15. A method according to claim 14 in which the terminals (2) comprise cellular  
20 telephones.

16. A method according to any preceding claim in which load balancing means is included in the assignment mechanism of the session.

17. A method according to any preceding claim in which the sessions (66) involve  
25 obtaining information or conducting transactions through the Internet.

18. A method according to any preceding claim in which the sessions are part of the Wireless Session Protocol (WSP).

30 19. A server (20) for managing a plurality of sessions with a plurality of terminals (2) the server (20) comprising a plurality of threads (74), grouping means to group

the sessions into a plurality of groups and assigning means to assign a thread to each group of sessions.

20. A server (20) according to claim 19 comprising a gateway server serving a plurality of mobile terminals (2).

21. A server (20) according to claim 20 comprising a WAP-HTTP gateway.

22. A communications system comprising a server (20) and a plurality of terminals (2) the server (20) and the terminals (2) conducting a plurality of sessions (66) the server comprising a plurality of threads (74), grouping means to group the sessions into a plurality of groups and assigning means to assign at least one thread to each group of sessions.

23. A computer program product for managing a plurality of sessions (66) the sessions being between a plurality of terminals (2) and a server (20) having a plurality of threads (74), comprising:

computer readable program means for grouping the sessions (66) into a plurality of groups (72); and

computer readable program means for assigning a thread to each group (72) of sessions.



1/3




Fig. 1

2/3




Fig. 2

3/3




Fig. 3




Fig. 4

# INTERNATIONAL SEARCH REPORT

International Application No.  
PCT/FI/02/00572

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 G06F9/44 H04L29/10 H04L12/46

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 G06F H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,A	US 5 835 705 A (RANDOLPH JACK CHRIS ET AL) 10 November 1998 (1998-11-10)  column 5, line 37 -column 6, line 53; claims	1-14,16, 17,19, 20,22,23
Y	US 5 850 399 A (YANG TAO ET AL) 15 December 1998 (1998-12-15) abstract	1-23
Y,P	EP 0 926 590 A (SONY INTERNATIONAL EUROPE GMBH) 30 June 1999 (1999-06-30) column 7, line 30 -column 8, line 49; claims 1,8 abstract	1-23
	---	
	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*G\* document member of the same patent family

Date of the actual completion of the international search

25 September 2000

Date of mailing of the international search report

31 10. 2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Kristoffer Ogebjer

## INTERNATIONAL SEARCH REPORT

International Application No.

PCT/FI 00/00572

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 745 778 A (ALFIERI ROBERT A) 28 April 1998 (1998-04-28) column 1, line 57 -column 2, line 17 abstract ---	1-23
P,A	US 5 961 639 A (MCDONALD ROBERT G ET AL) 5 October 1999 (1999-10-05) claim 14 ---	1-23
X	US 6 098 093 A (MONTERO GABRIEL G ET AL) 1 August 2000 (2000-08-01) column 5, line 29 -column 6, line 37 abstract category E -----	1-23

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Publication No

PCT/FI 00/00572

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5835705 A	10-11-1998	CN 1193144 A GB 2324393 A JP 10275100 A SG 60202 A US 6052708 A	16-09-1998 21-10-1998 13-10-1998 22-02-1999 18-04-2000
US 5850399 A	15-12-1998	AU 6788598 A AU 6873198 A EP 0972378 A EP 0972379 A US 5905730 A WO 9845976 A WO 9845990 A	30-10-1998 30-10-1998 19-01-2000 19-01-2000 18-05-1999 15-10-1998 15-10-1998
EP 0926590 A	30-06-1999	CN 1226028 A JP 11312079 A	18-08-1999 09-11-1999
US 5745778 A	28-04-1998	NONE	
US 5961639 A	05-10-1999	NONE	
US 6098093 A	01-08-2000	NONE	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference <b>AW/27001 WO</b>	<b>FOR FURTHER ACTION</b> See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. <b>PCT/FI00/00572</b>	International filing date (day/month/year) <b>22/06/2000</b>	Priority date (day/month/year) <b>24/06/1999</b>
International Patent Classification (IPC) or national classification and IPC <b>G06F9/44</b>		
Applicant <b>NOKIA CORPORATION et al.</b>		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.



2. This REPORT consists of a total of 4 sheets, including this cover sheet.

☒ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of 4 sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☐ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☒ Certain documents cited
- VII ☐ Certain defects in the international application
- VIII ☐ Certain observations on the international application

Date of submission of the demand <b>19/01/2001</b>	Date of completion of this report <b>25.09.2001</b>
Name and mailing address of the international preliminary examining authority:  <b>European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465</b>	Authorized officer <b>Thibaudeau, J</b>  Telephone No. <b>+49 89 2399 2349</b> 

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/FI00/00572

## I. Basis of the report

1. With regard to the **elements** of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):

### Description, pages:

1-16 as originally filed

1a as received on 30/07/2001 with letter of 27/07/2001

### Claims, No.:

1-22 as received on 30/07/2001 with letter of 27/07/2001

### Drawings, sheets:

1-3 as originally filed

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:



**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT**

International application No. PCT/FI00/00572

- ☐ the description,      pages:  
☐ the claims,      Nos.:  
☐ the drawings,      sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

*(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)*

6. Additional observations, if necessary:

**V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

**1. Statement**

Novelty (N)	Yes:	Claims	1-23
	No:	Claims	
Inventive step (IS)	Yes:	Claims	1-23
	No:	Claims	
Industrial applicability (IA)	Yes:	Claims	1-23
	No:	Claims	

2. Citations and explanations  
**see separate sheet**

**VI. Certain documents cited**

1. Certain published documents (Rule 70.10)

and / or

2. Non-written disclosures (Rule 70.9)

**see separate sheet**

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT - SEPARATE SHEET**

---

International application No. PCT/FI00/00572

1. Reference is made to the following documents:

D1: US-A-5 835 705 (RANDOLPH JACK CHRIS ET AL) 10 November 1998  
(1998-11-10)

D2: US-A-5 850 399 (YANG TAO ET AL) 15 December 1998 (1998-12-15)

D3: EP-A-0 926 590 (SONY INTERNATIONAL EUROPE GMBH) 30 June 1999  
(1999-06-30)

The document D3 indicated in the international search report as a P-document is not to be regarded as state of the art, as the date of priority claimed can be allowed for the relevant parts of the present application.

2. **Item V: Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

The invention provides a method (and the corresponding server, communications system and computer program product) for managing a plurality of sessions, the sessions being between a plurality of terminals and a server having a plurality of threads. The method comprises the step of grouping the sessions into a plurality of groups and the step of assigning a thread to each group of sessions, so that the assigned thread only handles the events of that group or sessions.

Said features are not disclosed nor suggested by the available prior art documents.

3. **Item VI: Certain documents cited**

Certain published documents (Rule 70.10)

US-A-6 098093, published on 01.08.2000, filed on 19.03.98, seems to disclose the features of the independent claims.

## 1a

- US 5 835 705 discloses a method and a system for performance measuring within a multithreaded processor. The system includes a processor responsive to instructions within first and second threads and a performance monitor that separately records a first event generated by the processor in response to the first  
5 thread and a second event generated by the processor in response to the second thread. The performance monitor comprises first and second counters which are incremented in response to occurrences of the first and second events respectively.
- 10 US 5 850 399 discloses a method of scheduling transmission of packets from a plurality of sessions. A session is grouped into one of a plurality of classes depending on the quality of service (QoS) which is provided for that session.

**Claims**

1. A method of managing a plurality of sessions (66) the sessions being between a plurality of terminals (2) and a server (20) having a plurality of threads (74), the  
5 method comprising:  
grouping the sessions into a plurality of groups (72); and  
assigning a thread (74) to each group (72) of sessions so that the assigned thread (74) only handles the events of that group of sessions.
- 10 2. A method according to claim 1 in which grouping occurs when a session is created (70).
3. A method according to claim 1 in which grouping occurs when a session becomes active.
- 15 4. A method according to any preceding claim in which one group (72) is provided for each thread (74) so that there are equal numbers of groups (72) and threads (74).
- 20 5. A method according to any preceding claim in which sessions are assigned statically to particular threads (74).
6. A method according to any of claims 1 to 4 in which a session is put into a first group in a first time period before suspension and put into a second group in a  
25 second time period following resumption.
7. A method according to claim 6 in which the second group is chosen on the basis of the relative levels of activity of the groups.
- 30 8. A method according to claim 6 in which the second group is chosen randomly.

9. A method according to any preceding claim in which each group (72) has a queue (80) and each session puts its events into that queue (80).

5 10. A method according to any preceding claim in which the sessions are grouped by a thread referred to as an acceptor thread (76).

10 11. A method according to claim 10 in which the acceptor thread (76) calls a function which is answered by notification that a new session has been created and then assigns the new session to a particular session group (72).

12. A method according to any preceding claim in which the sessions are long-lived.

15 13. A method according to any preceding claim in which the terminals (2) comprise mobile terminals.

14. A method according to claim 13 in which the terminals (2) comprise cellular telephones.

20 15. A method according to any preceding claim in which load balancing means is included in the assignment mechanism of the session.

25 16. A method according to any preceding claim in which the sessions (66) involve obtaining information or conducting transactions through the Internet.

17. A method according to any preceding claim in which the sessions are part of the Wireless Session Protocol (WSP).

30 18. A server (20) for managing a plurality of sessions with a plurality of terminals (2) the server (20) comprising a plurality of threads (74), grouping means to group the sessions into a plurality of groups and assigning means to assign a thread to

each group of sessions so that the assigned thread (74) only handles the events of that group (72) of sessions.

5 19. A server (20) according to claim 18 comprising a gateway server serving a plurality of mobile terminals (2).

20. A server (20) according to claim 19 comprising a WAP-HTTP gateway.

10 21. A communications system comprising a server (20) and a plurality of terminals (2) the server (20) and the terminals (2) conducting a plurality of sessions (66) the server comprising a plurality of threads (74), grouping means to group the sessions into a plurality of groups and assigning means to assign at least one thread to each group of sessions so that the assigned thread (74) only handles the events of that group (72) of sessions.

15

22. A computer program product for managing a plurality of sessions (66) the sessions being between a plurality of terminals (2) and a server (20) having a plurality of threads (74), comprising:

20 computer readable program means for grouping the sessions (66) into a plurality of groups (72); and

computer readable program means for assigning a thread to each group (72) of sessions so that the assigned thread (74) only handles the events of that group (72) of sessions.

25

# PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>AW/27001 WO</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/FI 00/ 00572</b>	International filing date (day/month/year) <b>22/06/2000</b>	(Earliest) Priority Date (day/month/year) <b>24/06/1999</b>
Applicant <b>NOKIA CORPORATION</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 4 sheets.  
☒ It is also accompanied by a copy of each prior art document cited in this report.

### 1. Basis of the report

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :

☐ contained in the international application in written form.

☐ filed together with the international application in computer readable form.

☐ furnished subsequently to this Authority in written form.

☐ furnished subsequently to this Authority in computer readable form.

☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

### 4. With regard to the title,

☒ the text is approved as submitted by the applicant.

☐ the text has been established by this Authority to read as follows:

### 5. With regard to the abstract,

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

☒ as suggested by the applicant.

☐ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

4  
☐ None of the figures.

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 00/00572

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G06F9/44 H04L29/10 H04L12/46

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,A	US 5 835 705 A (RANDOLPH JACK CHRIS ET AL) 10 November 1998 (1998-11-10)  column 5, line 37 -column 6, line 53; claims	1-14,16, 17,19, 20,22,23
Y	--- US 5 850 399 A (YANG TAO ET AL) 15 December 1998 (1998-12-15) abstract	1-23
Y,P	--- EP 0 926 590 A (SONY INTERNATIONAL EUROPE GMBH) 30 June 1999 (1999-06-30) column 7, line 30 -column 8, line 49; claims 1,8 abstract  --- -/--	1-23

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*G\* document member of the same patent family

Date of the actual completion of the international search

25 September 2000

Date of mailing of the international search report

31.10.2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Kristoffer Ogebjer



## INTERNATIONAL SEARCH REPORT

International Application No

PC 00/00572

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 745 778 A (ALFIERI ROBERT A) 28 April 1998 (1998-04-28) column 1, line 57 -column 2, line 17 abstract ---	1-23
P,A	US 5 961 639 A (MCDONALD ROBERT G ET AL) 5 October 1999 (1999-10-05) claim 14 ---	1-23
X	US 6 098 093 A (MONTERO GABRIEL G ET AL) 1 August 2000 (2000-08-01) column 5, line 29 -column 6, line 37 abstract category E -----	1-23

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PO I 00/00572

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5835705	A	10-11-1998	CN 1193144 A	16-09-1998
			GB 2324393 A	21-10-1998
			JP 10275100 A	13-10-1998
			SG 60202 A	22-02-1999
			US 6052708 A	18-04-2000
-----				
US 5850399	A	15-12-1998	AU 6788598 A	30-10-1998
			AU 6873198 A	30-10-1998
			EP 0972378 A	19-01-2000
			EP 0972379 A	19-01-2000
			US 5905730 A	18-05-1999
			WO 9845976 A	15-10-1998
			WO 9845990 A	15-10-1998
-----				
EP 0926590	A	30-06-1999	CN 1226028 A	18-08-1999
			JP 11312079 A	09-11-1999
-----				
US 5745778	A	28-04-1998	NONE	
-----				
US 5961639	A	05-10-1999	NONE	
-----				
US 6098093	A	01-08-2000	NONE	
-----				

# INTERNATIONAL SEARCH REPORT

In<sup>n</sup> national Application No

PCT/FI 00/00572

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 G06F9/44 H04L29/10 H04L12/46

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 G06F H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,A	US 5 835 705 A (RANDOLPH JACK CHRIS ET AL) 10 November 1998 (1998-11-10)  column 5, line 37 -column 6, line 53; claims	1-14,16, 17,19, 20,22,23
Y	US 5 850 399 A (YANG TAO ET AL) 15 December 1998 (1998-12-15) abstract	1-23
Y,P	EP 0 926 590 A (SONY INTERNATIONAL EUROPE GMBH) 30 June 1999 (1999-06-30) column 7, line 30 -column 8, line 49; claims 1,8 abstract	1-23
	---	
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- \*&\* document member of the same patent family

Date of the actual completion of the international search

25 September 2000

Date of mailing of the international search report

31 10. 2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Kristoffer Ogebjer

# INTERNATIONAL SEARCH REPORT

International Application No

PC1/FI 00/00572

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 745 778 A (ALFIERI ROBERT A) 28 April 1998 (1998-04-28) column 1, line 57 -column 2, line 17 abstract	1-23
P,A	--- US 5 961 639 A (MCDONALD ROBERT G ET AL) 5 October 1999 (1999-10-05) claim 14	1-23
X	--- US 6 098 093 A (MONTERO GABRIEL G ET AL) 1 August 2000 (2000-08-01) column 5, line 29 -column 6, line 37 abstract category E -----	1-23

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/FI 00/00572

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5835705 A	10-11-1998	CN 1193144 A GB 2324393 A JP 10275100 A SG 60202 A US 6052708 A	16-09-1998 21-10-1998 13-10-1998 22-02-1999 18-04-2000
US 5850399 A	15-12-1998	AU 6788598 A AU 6873198 A EP 0972378 A EP 0972379 A US 5905730 A WO 9845976 A WO 9845990 A	30-10-1998 30-10-1998 19-01-2000 19-01-2000 18-05-1999 15-10-1998 15-10-1998
EP 0926590 A	30-06-1999	CN 1226028 A JP 11312079 A	18-08-1999 09-11-1999
US 5745778 A	28-04-1998	NONE	
US 5961639 A	05-10-1999	NONE	
US 6098093 A	01-08-2000	NONE	

From the  
INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

PCT

To:

WALKER, Andrew  
NOKIA CORPORATION  
P.O. Box 206  
00045 Nokia Group  
FINLANDE

27.09.2001	
<input checked="" type="checkbox"/>	Comp. record
<input type="checkbox"/>	Prior Art/POI
<input type="checkbox"/>	Prior Art/IDS
<input checked="" type="checkbox"/>	Attorney
<input checked="" type="checkbox"/>	CC: APE

NOTIFICATION OF TRANSMITTAL OF  
THE INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT

(PCT Rule 71.1)

Date of mailing  
(day/month/year)

25.09.2001

Applicant's or agent's file reference  
AW/27001 WO

## IMPORTANT NOTIFICATION

International application No.  
PCT/FI00/00572

International filing date (day/month/year)  
22/06/2000

Priority date (day/month/year)  
24/06/1999

Applicant

NOKIA CORPORATION et al.

1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.


## 4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/



European Patent Office  
D-80298 Munich  
Tel. +49 89 2399 - 0 Tx: 523656 epmu d  
Fax: +49 89 2399 - 4465

Authorized officer

Caramalli, F

Tel. +49 89 2399-2687



# PATENT COOPERATION TREATY

## PCT

### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference <b>AW/27001 WO</b>	<b>FOR FURTHER ACTION</b>		See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)
International application No. <b>PCT/FI00/00572</b>	International filing date (day/month/year) <b>22/06/2000</b>	Priority date (day/month/year) <b>24/06/1999</b>	
International Patent Classification (IPC) or national classification and IPC <b>G06F9/44</b>			
Applicant <b>NOKIA CORPORATION et al.</b>			

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.



2. This REPORT consists of a total of 4 sheets, including this cover sheet.

☒ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of 4 sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☐ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☒ Certain documents cited
- VII ☐ Certain defects in the international application
- VIII ☐ Certain observations on the international application

Date of submission of the demand  <b>19/01/2001</b>	Date of completion of this report  <b>25.09.2001</b>
Name and mailing address of the international preliminary examining authority:   <b>European Patent Office</b> <b>D-80298 Munich</b> <b>Tel. +49 89 2399 - 0 Tx: 523656 epmu d</b> <b>Fax: +49 89 2399 - 4465</b>	Authorized officer  <b>Thibaudeau, J</b>  Telephone No. <b>+49 89 2399 2349</b> <div style="text-align: right;">  </div>

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/FI00/00572

## I. Basis of the report

1. With regard to the elements of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):

### Description, pages:

1-16 as originally filed

1a as received on 30/07/2001 with letter of 27/07/2001

### Claims, No.:

1-22 as received on 30/07/2001 with letter of 27/07/2001

### Drawings, sheets:

1-3 as originally filed

2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:



**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT**

International application No. PCT/FI00/00572

- ☐ the description,      pages:  
☐ the claims,      Nos.:  
☐ the drawings,      sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

*(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)*

6. Additional observations, if necessary:

**V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

**1. Statement**

Novelty (N)	Yes:	Claims	1-23
	No:	Claims	
Inventive step (IS)	Yes:	Claims	1-23
	No:	Claims	
Industrial applicability (IA)	Yes:	Claims	1-23
	No:	Claims	

- 2. Citations and explanations**  
**see separate sheet**

**VI. Certain documents cited**

- 1. Certain published documents (Rule 70.10)**

and / or

- 2. Non-written disclosures (Rule 70.9)**

**see separate sheet**

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT - SEPARATE SHEET**

---

International application No. PCT/FI00/00572

1. Reference is made to the following documents:

D1: US-A-5 835 705 (RANDOLPH JACK CHRIS ET AL) 10 November 1998  
(1998-11-10)

D2: US-A-5 850 399 (YANG TAO ET AL) 15 December 1998 (1998-12-15)

D3: EP-A-0 926 590 (SONY INTERNATIONAL EUROPE GMBH) 30 June 1999  
(1999-06-30)

The document D3 indicated in the international search report as a P-document is not to be regarded as state of the art, as the date of priority claimed can be allowed for the relevant parts of the present application.

2. **Item V: Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

The invention provides a method (and the corresponding server, communications system and computer program product) for managing a plurality of sessions, the sessions being between a plurality of terminals and a server having a plurality of threads. The method comprises the step of grouping the sessions into a plurality of groups and the step of assigning a thread to each group of sessions, so that the assigned thread only handles the events of that group or sessions. Said features are not disclosed nor suggested by the available prior art documents.

3. **Item VI: Certain documents cited**

Certain published documents (Rule 70.10)

US-A-6 098093, published on 01.08.2000, filed on 19.03.98, seems to disclose the features of the independent claims.

Claims

1. A method of managing a plurality of sessions (66) the sessions being between a plurality of terminals (2) and a server (20) having a plurality of threads (74), the  
5 method comprising:  
grouping the sessions into a plurality of groups (72); and  
assigning a thread (74) to each group (72) of sessions.
2. A method according to claim 1 in which grouping occurs when a session is  
10 created (70).
3. A method according to claim 1 in which grouping occurs when a session becomes active.
- 15 4. A method according to any preceding claim in which one group (72) is provided for each thread (74) so that there are equal numbers of groups (72) and threads (74).
5. A method according to claim 4 in which the thread (74) assigned to a particular  
20 group (72) only handles the events of the sessions of that group (72).
6. A method according to any preceding claim in which sessions are assigned statically to particular threads (74).
- 25 7. A method according to any of claims 1 to 5 in which a session is put into a first group in a first time period before suspension and put into a second group in a second time period following resumption.
8. A method according to claim 7 in which the second group is chosen on the  
30 basis of the relative levels of activity of the groups.
9. A method according to claim 7 in which the second group is chosen randomly.

10. A method according to any preceding claim in which each group (72) has a queue (80) and each session puts its events into that queue (80).
- 5 11. A method according to any preceding claim in which the sessions are grouped by a thread referred to as an acceptor thread (76).
12. A method according to claim 11 in which the acceptor thread (76) calls a function which is answered by notification that a new session has been created  
10 and then assigns the new session to a particular session group (72).
13. A method according to any preceding claim in which the sessions are long-lived.
- 15 14. A method according to any preceding claim in which the terminals (2) comprise mobile terminals.
15. A method according to claim 14 in which the terminals (2) comprise cellular  
20 telephones.
16. A method according to any preceding claim in which load balancing means is included in the assignment mechanism of the session.
17. A method according to any preceding claim in which the sessions (66) involve  
25 obtaining information or conducting transactions through the Internet.
18. A method according to any preceding claim in which the sessions are part of the Wireless Session Protocol (WSP).
- 30 19. A server (20) for managing a plurality of sessions with a plurality of terminals (2) the server (20) comprising a plurality of threads (74), grouping means to group

the sessions into a plurality of groups and assigning means to assign a thread to each group of sessions.

20. A server (20) according to claim 19 comprising a gateway server serving a plurality of mobile terminals (2).

21. A server (20) according to claim 20 comprising a WAP-HTTP gateway.

22. A communications system comprising a server (20) and a plurality of terminals (2) the server (20) and the terminals (2) conducting a plurality of sessions (66) the server comprising a plurality of threads (74), grouping means to group the sessions into a plurality of groups and assigning means to assign at least one thread to each group of sessions.

23. A computer program product for managing a plurality of sessions (66) the sessions being between a plurality of terminals (2) and a server (20) having a plurality of threads (74), comprising:

computer readable program means for grouping the sessions (66) into a plurality of groups (72); and

computer readable program means for assigning a thread to each group (72) of sessions.